



Material Safety Data Sheet
 Golden West Premium Tech/SYN
 Full Synthetic 5W20 GF-4

| | | | | |
|---|-------|---|----------------------|------|
| Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. | | U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072 | | |
| Identity (As Used on Label and List) Golden West Premium Tech/SYN 5W20 GF-4 Motor Oil | | Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. | | |
| Section I | | | | |
| Manufacturer's Name Golden West Packaging Co. | | Emergency Telephone Number 210-649-1401 | | |
| Address (Number, street, city, state and ZIP code) 13598 Hwy 87 East Adkins, TX 78101 | | Telephone Number for Information 210-649-1401 | | |
| | | Date Prepared 2008 | | |
| | | Signature of Preparer (optional) | | |
| Section II - Hazardous Ingredients/Identity Information | | | | |
| Group III Base Stock with Proprietary Additive Package with Hydrocarbon Components. | | Health - 1 Flammability - 1 Reactivity - 0 | | |
| Section III - Physical/Chemical Characteristics | | | | |
| Boiling Point | 750°F | Specific Gravity (H2O = 1) | .8496 | |
| Vapor Pressure (mm Hg.) | <1 | Melting Point | NA | |
| Vapor Density (AIR = 1) | 1+ | Evaporation Rate (Butyl Acetate = 1) | NA | |
| Solubility in Water - | | | | |
| Appearance and Odor - | | | | |
| Section IV - Fire and Explosion Hazard Data | | | | |
| Flash Point (Method Used) | 405°F | Flammable Limits | LEL | UEL |
| | | N.A. | N.A. | N.A. |
| Extinguishing Media - Water Spray, Dry chemical | | | | |
| Special Fire Fighting Procedures - Use water to cool exposed containers. Use foam. | | | | |
| Unusual Fire and Explosion Hazards - None | | | | |
| Style CU-FP 174 Labelmaster, Div. Of American Labelmark Co. Inc. 60646 | | | OSHA 174, Sept. 1985 | |

Section V - Reactivity Data

| | | |
|---|--------------------|-----------------------|
| Stability - NA | | |
| Incompatibility (Materials to Avoid) - None | | |
| Hazardous Decomposition or Byproducts - CO2 emitted when burned | | |
| Hazardous Polymerization - NA | May Occur | Conditions to Avoid - |
| | Will Not Occur - X | |

Section VI - Health Hazard Data

| | | | |
|--|-----------------|------------------|-----------------|
| Route(s) of Entry: | Inhalation? Yes | Skin? Yes | Ingestion? Yes |
| Health Hazards (Acute and Chronic) -Wash exposed area of skin with soap and water. Do not inhale vapors. | | | |
| Carcinogenicity: N.A. | NTP - NA | IARC Monographs? | OSHA Regulated? |

Signs and Symptoms of Exposure - Prolonged exposure to skin can result in rash.
Medical Conditions Generally Aggravated by Exposure - Wash thoroughly if exposed to open wounds.
Emergency First Aid Procedures - Clean effected area with soap and water.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled - Clean up with abosorbent material. Dispose of as recommended by state and federal rules.
Waste Disposal Method - Dispose of as suggested above.
Precautions to be Taken in Handling and Storing - Keep containers away from extreme heat.
Other Precautions - None

Section VII - Control Measures

| | | |
|--|------------------------|-----------|
| Respiratory Protection (Specify Type) - Not required | | |
| Ventilation - Yes | Local Exhaust - Yes | Special - |
| | Mechanical (General) - | Other - |
| Protective Gloves - NA | | |
| Eye Protection - Wear goggles when filling containers. | | |
| Other Protective Clothing or Equipment - | | |
| Work/Hygienic Practices - Wash hands thoroughly after handling and filling containers. | | |