



**Material Safety Data Sheet**  
 Golden West Synthetic Blend  
 10W30 GF-4

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072		
Identity (As Used on Label and List) Golden West 10W30 Synthetic Blend Motor Oil GF-4		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.		
<b>Section I</b>				
Manufacturer's Name Golden West Packaging Co.		Emergency Telephone Number 210-649-1401		
Address (Number, street, city, state and ZIP code) 13598 Hwy 87 East Adkins, TX 78101		Telephone Number for Information 210-649-1401		
		Date Prepared 2006		
		Signature of Preparer (optional)		
<b>Section II - Hazardous Ingredients/Identity Information</b>				
Petroleum Hydrocarbon Mineral Oil PAO Synthetic Fluid with Additives		NEPA Health - 0 Flammability - 1 Reactivity - 0		
<b>Section III - Physical/Chemical Characteristics</b>				
Boiling Point	600°F	Specific Gravity (H2O = 1)	.88	
Vapor Pressure (mm Hg.)	NA	Melting Point		
Vapor Density (AIR = 1)		Evaporation Rate (Butyl Acetate = 1)		
Solubility in Water - None				
Appearance and Odor - Slight Hydrocarbon odor - Pale Liquid				
<b>Section IV - Fire and Explosion Hazard Data</b>				
Flash Point (Method Used)	410°F	Flammable Limits	LEL	UEL
		N.A.	N.A.	N.A.
Extinguishing Media - Dry chemical, foam or water spray				
Special Fire Fighting Procedures - Water spray. Wear breathing apparatus.				
Unusual Fire and Explosion Hazards - Could ignite under high temperatures				
Style CU-FP 174 Labelmaster, Div. Of American Labelmark Co. Inc. 60646			OSHA 174, Sept. 1985	

<b>Section V - Reactivity Data</b>				
Stability - Stable				
Incompatibility (Materials to Avoid) - Any flammable contact material				
Hazardous Decomposition or Byproducts - Hydrogen Sulide, C02 and Sulfur				
Hazardous Polymerization	May Occur	Conditions to Avoid - sparks, heat or burning		
	Will Not Occur - X			
<b>Section VI - Health Hazard Data</b>				
Route(s) of Entry: eye, mouth, and skin		Inhalation? Yes	Skin? Yes	Ingestion? Yes
Health Hazards (Acute and Chronic) - Avoid eye and skin contact				
Carcinogenicity: N.A.	NTP - SEEP 1	IARC Monographs?	OSHA Regulated?	
Signs and Symptoms of Exposure - Dizziness, breathing difficulty when fumes from burning occur.				
Medical Conditions Generally Aggravated by Exposure - Skin rash				
Emergency First Aid Procedures - Wash skin or affected area with soap and water.				
<b>Section VII - Precautions for Safe Handling and Use</b>				
Steps to be Taken in Case Material is Released or Spilled - Wear goggles when handling.				
Waste Disposal Method - Neutralize with foam, detergents, and use absorbent material during cleanup. Dispose as described.				
Precautions to be Taken in Handling and Storing - Keep away from extreme heat.				
Other Precautions - Clean up spill, dispose of spilled product as described.				
<b>Section VII - Control Measures</b>				
Respiratory Protection (Specify Type) - Not required				
Ventilation - Store in ventilated area.	Local Exhaust - O.K.	Special - None		
	Mechanical (General) -	Other -		
Protective Gloves - Recommended				
Eye Protection - Recommended				
Other Protective Clothing or Equipment -				
Work/Hygienic Practices - Keep product off skin and eye area. Wash thoroughly after contact.				
U.S.G. P.O.: 1986-491-529/45775				