

Material Safety Data Sheet Golden West Synthetic Blend 5W30

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072				
Identity (As Used on Label and List) Golden West 5W30 Synthetic Blend	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.					
Section I						
Manufacturer's Name Golden West Packaging Co.		Emergency Telephone Number 210-649-1401				
Address (Number, street, city, state and ZIP code) 13598 Hwy 87 East Adkins, TX 78101		Telephone Number for Information 210-649-1401				
		Date Prepared 2006				
	Signature of Prepa	Signature of Preparer (optional)				
Section II - Hazardous Ingred	dients/Identity	Information	-			
Petroleum Hydrocarbon Mineral Oil PAO Synthetic Fluid with Additives		NEPA Heatlh - 0 Flammability - 1 Reactivity - 0				
Section III - Physical/Chemic	al Characteris	tics		- -		
Boiling Point	600°F	Specific Gravity (H	ific Gravity (H2O = 1) .88			
Vapor Pressure (mm Hg.)	NA	Melting Point				
Vapor Density (AIR = 1)		Evaporation Rate (Butyl Acetate = 1)				
Solubility in Water - None				•••		
Appearance and Odor - Slight Hydro	carbon odor - Pale	e Liquid				
Section IV - Fire and Explosi	on Hazard Dat	a				
Flash Point (Method Used) 410°F		Flammable Limits N.A.	LEL N.A.	UEL N.A.		
Extinguishing Media - Dry chemical,	foam or water spr	ay	.			
Special Fire Fighting Procedures - Wa	ter spray. Wear bre	athing apparatus.				
Unusual Fire and Explosion Hazards	- Could ignite und	der high temperatures	3			
Style CU-FP 174 Labelmaster, Div. Of An	nerican Labelmark (Co. Inc. 60646	OSHA 174, S	ept. 1985		

Section V - Reactivity					
Stability - Stable					
Incompatibility (Materials to	o Avoid) - Any flammable c	ontact material			
Hazardous Decomposition	or Byproducts - Hydrogen	Sulide, C02 and S	Sulfur	*	
Hazardous Polymerization		May Occur		Conditions to Avoid - sparks, heat or burning	
		Will Not Occur - X			
Section VI - Health Ha	azard Data				
Route(s) of Entry: eye, mouth, and skin		Inhalation? Yes	nalation? Yes		Ingestion? Yes
Health Hazards (Acute and	d Chronic) - Avoid eye and	skin contact			
Carcinogenicity: N.A.	NTP - SEEP 1			Monographs?	OSHA Regulated?
Signs and Symptoms of Ex	posure - Dizziness, breath	ning difficulty when	fumes fr	om burning oc	cur.
Medical Conditions Genera	ally Aggravated by Exposur	re - Skin rash			
Emergency First Aid Proce	dures - Wash skin or affec	ted area with soap	and wat	er.	
Section VII - Precauti	ons for Safe Handlin	g and Use			
Steps to be Taken in Case	Material is Released or Sp	oilled - Wear goggl	es when	handling.	
Waste Disposal Method - N as described.	Neutralize with foam, deter	gents, and use abs	sorbent n	naterial during	cleanup. Dispos
Precautions to be Taken in	Handling and Storing - Ke	ep away from extre	eme hea	t.	
Other Precautions - Clean	up spill, dispose of spilled	product as describ	ed.		
Section VII - Control	Measures				
Respiratory Protection (Sp	ecify Type) - Not required				
Ventilation - Store in ventilated area.	Local Exhaust - O.K.	Speci		al - None	
	Mechanical (General) -	· · · · · · ·	Other -		
Protective Gloves - Recom	imended				
Eye Protection - Recomme	ended				
Other Protective Clothing of	pr Equipment -				
Work/Hygienic Practices -		eye area. Wash the	oroughly	after contact.	
		-		.S.G. P.O.: 198	